



FEATURES & BENEFITS

Seamless, One-Piece Molded Construction

Eliminates seams and gaps, preventing contraband concealment and fluid intrusion.

Ligature-Aware, Rounded Geometry

Smooth surfaces with radiused edges help reduce injury risk and ligature attachment opportunities.

Flexible Vinyl Shell with Foam-Filled Core

Absorbs impact, resists cracking, and delivers supportive comfort without rigid failure points.

Impact, Pick & Puncture Resistant

Maintains structural integrity under aggressive use common in high-acuity environments.

Non-Porous, Easily Sanitized Surface

Supports infection control using commercial cleaners, bleach solutions, or steam.

Color-Through, UV-Stabilized Material

Pigment runs through the material thickness, allowing aggressive cleaning without visible wear or fading.

Weighted for Stability

Integrated core mass helps reduce movement or tipping in high-risk spaces.

Non-Removable Molded Riser Feet

Discourages tampering while promoting airflow beneath the unit for sanitation.

MAS Green & Fire Performance Compliant

Independently certified for low chemical emissions and compliant with CAL TB133 for use in demanding public and healthcare environments.



No Springs



No Sharp Corners



No Puddling Fabric



Reduced Noise



Reduced Ligature

Settee

The ModuForm 520 Collection

SPECIFICATIONS

520-10

30" d x 54" w x 30" h

16" Seat Height

22.5" Arm Height



**MODU
FORM®**

172 Industrial Rd., Fitchburg, MA 01420

978.345.7942 | www.moduform.com



FEATURES & BENEFITS

Seamless, One-Piece Molded Construction

Eliminates seams and gaps, preventing contraband concealment and fluid intrusion.

Ligature-Aware, Rounded Geometry

Smooth surfaces with radiused edges help reduce injury risk and ligature attachment opportunities.

Flexible Vinyl Shell with Foam-Filled Core

Absorbs impact, resists cracking, and delivers supportive comfort without rigid failure points.

Impact, Pick & Puncture Resistant

Maintains structural integrity under aggressive use common in high-acuity environments.

Non-Porous, Easily Sanitized Surface

Supports infection control using commercial cleaners, bleach solutions, or steam.

Color-Through, UV-Stabilized Material

Pigment runs through the material thickness, allowing aggressive cleaning without visible wear or fading.

Weighted for Stability

Integrated core mass helps reduce movement or tipping in high-risk spaces.

Non-Removable Molded Riser Feet

Discourages tampering while promoting airflow beneath the unit for sanitation.

MAS Green & Fire Performance Compliant

Independently certified for low chemical emissions and compliant with CAL TB133 for use in demanding public and healthcare environments.



No Springs



No Sharp Corners



No Puddling Fabric



Reduced Noise



Reduced Ligature

Armchair

The ModuForm 520 Collection

SPECIFICATIONS

520-20
30”d x 30”w x 30”h
16” Seat Height
22.5” Arm Height



**MODU
FORM®**

172 Industrial Rd., Fitchburg, MA 01420
978.345.7942 | www.moduform.com



FEATURES & BENEFITS

Seamless, One-Piece Molded Construction

Eliminates seams and gaps, preventing contraband concealment and fluid intrusion.

Ligature-Aware, Rounded Geometry

Smooth surfaces with radius edges help reduce injury risk and ligature attachment opportunities.

Flexible Vinyl Shell with Foam-Filled Core

Absorbs impact, resists cracking, and delivers supportive comfort without rigid failure points.

Impact, Pick & Puncture Resistant

Maintains structural integrity under aggressive use common in high-acuity environments.

Non-Porous, Easily Sanitized Surface

Supports infection control using commercial cleaners, bleach solutions, or steam.

Color-Through, UV-Stabilized Material

Pigment runs through the material thickness, allowing aggressive cleaning without visible wear or fading.

Weighted for Stability

Integrated core mass helps reduce movement or tipping in high-risk spaces.

Non-Removable Molded Riser Feet

Discourages tampering while promoting airflow beneath the unit for sanitation.

MAS Green & Fire Performance Compliant

Independently certified for low chemical emissions and compliant with CAL TB133 for use in demanding public and healthcare environments.



No Springs



No Sharp Corners



No Puddling Fabric



Reduced Noise



Reduced Ligature

Left Chair Module

The ModuForm 520 Collection

SPECIFICATIONS

520-20L
30”d x 30”w x 30”h
16” Seat Height
22.5” Arm Height



MODU
FORM®

172 Industrial Rd., Fitchburg, MA 01420
978.345.7942 | www.moduform.com



FEATURES & BENEFITS

Seamless, One-Piece Molded Construction

Eliminates seams and gaps, preventing contraband concealment and fluid intrusion.

Ligature-Aware, Rounded Geometry

Smooth surfaces with radiused edges help reduce injury risk and ligature attachment opportunities.

Flexible Vinyl Shell with Foam-Filled Core

Absorbs impact, resists cracking, and delivers supportive comfort without rigid failure points.

Impact, Pick & Puncture Resistant

Maintains structural integrity under aggressive use common in high-acuity environments.

Non-Porous, Easily Sanitized Surface

Supports infection control using commercial cleaners, bleach solutions, or steam.

Color-Through, UV-Stabilized Material

Pigment runs through the material thickness, allowing aggressive cleaning without visible wear or fading.

Weighted for Stability

Integrated core mass helps reduce movement or tipping in high-risk spaces.

Non-Removable Molded Riser Feet

Discourages tampering while promoting airflow beneath the unit for sanitation.

MAS Green & Fire Performance Compliant

Independently certified for low chemical emissions and compliant with CAL TB133 for use in demanding public and healthcare environments.



No Springs



No Sharp Corners



No Puddling Fabric



Reduced Noise



Reduced Ligature

Chair Module

The ModuForm 520 Collection

SPECIFICATIONS

520-20R

30" d x 30" w x 30" h

16" Seat Height

22.5" Arm Height



**MODU
FORM**®

172 Industrial Rd., Fitchburg, MA 01420
978.345.7942 | www.moduform.com



FEATURES & BENEFITS

Seamless, One-Piece Molded Construction

Eliminates seams and gaps, preventing contraband concealment and fluid intrusion.

Ligature-Aware, Rounded Geometry

Smooth surfaces with radiused edges help reduce injury risk and ligature attachment opportunities.

Flexible Vinyl Shell with Foam-Filled Core

Absorbs impact, resists cracking, and delivers supportive comfort without rigid failure points.

Impact, Pick & Puncture Resistant

Maintains structural integrity under aggressive use common in high-acuity environments.

Non-Porous, Easily Sanitized Surface

Supports infection control using commercial cleaners, bleach solutions, or steam.

Color-Through, UV-Stabilized Material

Pigment runs through the material thickness, allowing aggressive cleaning without visible wear or fading.

Weighted for Stability

Integrated core mass helps reduce movement or tipping in high-risk spaces.

Non-Removable Molded Riser Feet

Discourages tampering while promoting airflow beneath the unit for sanitation.

MAS Green & Fire Performance Compliant

Independently certified for low chemical emissions and compliant with CAL TB133 for use in demanding public and healthcare environments.



No Springs



No Sharp Corners



No Puddling Fabric



Reduced Noise



Reduced Ligature

Module Chair

The ModuForm 520 Collection

SPECIFICATIONS

520-50
30" d x 30" w x 30" h
16" Seat Height



**MODU
FORM**®

172 Industrial Rd., Fitchburg, MA 01420
978.345.7942 | www.moduform.com



FEATURES & BENEFITS

Seamless, One-Piece Molded Construction

Eliminates seams and gaps, preventing contraband concealment and fluid intrusion.

Ligature-Aware, Rounded Geometry

Smooth surfaces with radius edges help reduce injury risk and ligature attachment opportunities.

Flexible Vinyl Shell with Foam-Filled Core

Absorbs impact, resists cracking, and delivers supportive comfort without rigid failure points.

Impact, Pick & Puncture Resistant

Maintains structural integrity under aggressive use common in high-acuity environments.

Non-Porous, Easily Sanitized Surface

Supports infection control using commercial cleaners, bleach solutions, or steam.

Color-Through, UV-Stabilized Material

Pigment runs through the material thickness, allowing aggressive cleaning without visible wear or fading.

Weighted for Stability

Integrated core mass helps reduce movement or tipping in high-risk spaces.

Non-Removable Molded Riser Feet

Discourages tampering while promoting airflow beneath the unit for sanitation.

MAS Green & Fire Performance Compliant

Independently certified for low chemical emissions and compliant with CAL TB133 for use in demanding public and healthcare environments.



No Springs



No Sharp Corners



No Puddling Fabric



Reduced Noise



Reduced Ligature

Module Chair

The ModuForm 520 Collection

SPECIFICATIONS

520-52

30"d x 24"w x 30"h

16" Seat Height



**MODU
FORM**®

172 Industrial Rd., Fitchburg, MA 01420
978.345.7942 | www.moduform.com



FEATURES & BENEFITS

Seamless, One-Piece Molded Construction

Eliminates seams and gaps, preventing contraband concealment and fluid intrusion.

Ligature-Aware, Rounded Geometry

Smooth surfaces with radiused edges help reduce injury risk and ligature attachment opportunities.

Flexible Vinyl Shell with Foam-Filled Core

Absorbs impact, resists cracking, and delivers supportive comfort without rigid failure points.

Impact, Pick & Puncture Resistant

Maintains structural integrity under aggressive use common in high-acuity environments.

Non-Porous, Easily Sanitized Surface

Supports infection control using commercial cleaners, bleach solutions, or steam.

Color-Through, UV-Stabilized Material

Pigment runs through the material thickness, allowing aggressive cleaning without visible wear or fading.

Weighted for Stability

Integrated core mass helps reduce movement or tipping in high-risk spaces.

Non-Removable Molded Riser Feet

Discourages tampering while promoting airflow beneath the unit for sanitation.

MAS Green & Fire Performance Compliant

Independently certified for low chemical emissions and compliant with CAL TB133 for use in demanding public and healthcare environments.



No Springs



No Sharp Corners



No Puddling Fabric



Reduced Noise



Reduced Ligature

Corner Chair

The ModuForm 520 Collection

SPECIFICATIONS

520-60
30" d x 30" w x 30" h
16" Seat Height



**MODU
FORM**®

172 Industrial Rd., Fitchburg, MA 01420
978.345.7942 | www.moduform.com



FEATURES & BENEFITS

Seamless, One-Piece Molded Construction

Eliminates seams and gaps, preventing contraband concealment and fluid intrusion.

Ligature-Aware, Rounded Geometry

Smooth surfaces with radiused edges help reduce injury risk and ligature attachment opportunities.

Flexible Vinyl Shell with Foam-Filled Core

Absorbs impact, resists cracking, and delivers supportive comfort without rigid failure points.

Impact, Pick & Puncture Resistant

Maintains structural integrity under aggressive use common in high-acuity environments.

Non-Porous, Easily Sanitized Surface

Supports infection control using commercial cleaners, bleach solutions, or steam.

Color-Through, UV-Stabilized Material

Pigment runs through the material thickness, allowing aggressive cleaning without visible wear or fading.

Weighted for Stability

Integrated core mass helps reduce movement or tipping in high-risk spaces.

Non-Removable Molded Riser Feet

Discourages tampering while promoting airflow beneath the unit for sanitation.

MAS Green & Fire Performance Compliant

Independently certified for low chemical emissions and compliant with CAL TB133 for use in demanding public and healthcare environments.



No Springs



No Sharp Corners



No Puddling Fabric



Reduced Noise



Reduced Ligature

End Table/Ottoman

The ModuForm 520 Collection

SPECIFICATIONS

520-70
30"d x 30"w x 16" h



MODU
FORM®

172 Industrial Rd., Fitchburg, MA 01420
978.345.7942 | www.moduform.com



FEATURES & BENEFITS

Seamless, One-Piece Molded Construction

Eliminates seams and gaps, preventing contraband concealment and fluid intrusion.

Ligature-Aware, Rounded Geometry

Smooth surfaces with radiused edges help reduce injury risk and ligature attachment opportunities.

Flexible Vinyl Shell with Foam-Filled Core

Absorbs impact, resists cracking, and delivers supportive comfort without rigid failure points.

Impact, Pick & Puncture Resistant

Maintains structural integrity under aggressive use common in high-acuity environments.

Non-Porous, Easily Sanitized Surface

Supports infection control using commercial cleaners, bleach solutions, or steam.

Color-Through, UV-Stabilized Material

Pigment runs through the material thickness, allowing aggressive cleaning without visible wear or fading.

Weighted for Stability

Integrated core mass helps reduce movement or tipping in high-risk spaces.

Non-Removable Molded Riser Feet

Discourages tampering while promoting airflow beneath the unit for sanitation.

MAS Green & Fire Performance Compliant

Independently certified for low chemical emissions and compliant with CAL TB133 for use in demanding public and healthcare environments.



No Springs



No Sharp Corners



No Puddling Fabric



Reduced Noise



Reduced Ligature

End Table/Ottoman

The ModuForm 520 Collection

SPECIFICATIONS

520-80
30"d x 54"w x 16" h



**MODU
FORM**®

172 Industrial Rd., Fitchburg, MA 01420
978.345.7942 | www.moduform.com