

MODUMAXX STACKING ARMCHAIRS

**MODU
FORM[®]**



MODUMAXX STACKING ARMCHAIR


5000-20
24" d x 24" w x 33" h
26" Arm Height



*550 Pounds of Sand...
in an 11 Pound Chair*







Standard Features:

- ModuMaxx stacking chair is injection molded high-impact, rigid Polypropylene.
- Chair is one-piece without any steel or wood components of any kind.
- Chair is easy to clean, pick and puncture proof.
- Capable of stacking 20 high.
- Feet have double angles to reduce stress and maintain stability when in rocked-back position.
- Bowed rib on underside of chair back provides additional strength.
- 36 Interlocking reinforcing rib-cells on the underside of seat provide maximum strength.
- Rear legs have 5 points of additional reinforcement.
- Meets Cal TB 133
- ANSI/BIFMA X7.1-2011 (R2016)
- ANSI/BIFMA e3-2019 Section 7.6
- The California Department of Public Health (CDPH) Standard Method
- v1.2LEED v4 criteria
- The Collaborative for High Performance Schools (CHPS) 2019 Core Criteria 3.0 EQ C6.1.4



MODUMAXX STACKING ARMCHAIR

STATEMENT OF COLORS



Splash - 225



Flannel Grey - 845



Sandstream - 700



Slate Blue - 426



MODU FORM®



MODUMAXX STACKING ARMCHAIR

ModuForm, Inc.
172 Industrial Road
Fitchburg, MA 01420
(978) 345-7942
moduform.com